




Specifications Philips LED Downlight  
Coreline DN130B 22W 2000lm 120D -  
830 Warm White | 216mm - Dali  
Dimmable



[View Product](#)

General Information

|                          |                                |
|--------------------------|--------------------------------|
| SKU                      | 214401                         |
| EAN                      | 8718696852255                  |
| Brand                    | Philips                        |
| Manufacturer Name        | DN130B LED20S/830 PSED-E II WH |
| Any Lamp all-in warranty | 5 Years                        |
| Average Lifetime (h)     | 50000                          |

Technical Information

|                             |                   |
|-----------------------------|-------------------|
| Emergency Lighting          | No Emergency Unit |
| Tilttable                   | No                |
| Technology                  | LED Integrated    |
| Replaces (Watt)             | 2x26              |
| Wattage                     | 22                |
| Voltage (V)                 | 220-240           |
| Dimmable                    | Dimmable          |
| Colour Code                 | 830 Warm White    |
| Colour temperature (Kelvin) | 3000 Warm White   |
| Colour Rendering (Ra)       | 80-89             |
| Colour of Light             | White             |
| Light colour options        | Single Color      |

|                          |                                       |
|--------------------------|---------------------------------------|
| Including bulb           | Yes                                   |
| Driver Included          | Yes                                   |
| Beam Angle (degree)      | 120                                   |
| Luminous Flux (Lumen)    | 2000                                  |
| Luminous Efficacy (lm/W) | 95                                    |
| Power factor             | >0.90                                 |
| Installation Depth (mm)  | 130                                   |
| Unified Glare Rating     | < 28 - for hallways and storage rooms |
| Suitable for Outdoor     | No                                    |
| Finish of Reflector      | Frosted                               |
| Product Type Category    | LED Downlight                         |

## Fixture Information

|                        |                                         |
|------------------------|-----------------------------------------|
| EOC8                   | 85225500                                |
| Mounting Method        | Recessed                                |
| Cut out (mm)           | 200                                     |
| IP-rating              | IP20                                    |
| Impact Protection (IK) | IK02 - 0.20 joule                       |
| Operating Temperature  | -10 to +40                              |
| Housing                | PC (Polycarbonate)                      |
| Colour of the Fixture  | White                                   |
| Colour of material     | White                                   |
| Fixture Connection     | PIP [Push-in connector and pull relief] |
| Series                 | DN130B                                  |

## Dimensions

|             |     |
|-------------|-----|
| Height (mm) | 113 |
|-------------|-----|

|               |     |
|---------------|-----|
| Diameter (mm) | 216 |
|---------------|-----|

## Sensor Information

---

|                |           |
|----------------|-----------|
| Type of sensor | No Sensor |
|----------------|-----------|

## Why Any-lamp?

 Order from the **largest lighting specialist** in Europe  **Customised** quotation

 Up to **7 years warranty**  **Easy** return process